Index to Volume 32

Author Index

ATEMA, J.
see Ikehara, Atema, Brittain, Bardach, Dizon, and Holland

BARDACH, J.
see Ikehara, Atema, Brittain, Bardach, Dizon, and Holland

BOYD, SUSAN
Relaxin levels during pregnancy and parturition in the guinea pig [abstr.], 95–96

BOYLE, HILLARY
see Cressey and Boyle

BRITTAIN, A.
see Ikehara, Atema, Brittain, Bardach, Dizon, and Holland

BRUSCA, GARY J.
Contributions to the knowledge of hyperiid amphipods of the family Scinidae from near Hawaii, with a description of a new species, *Scina hawaiensis*, 281–292

BURCKLE, L. H., S. R. HAMMOND, and STEFAN M. SEYB
A stratigraphically important new diatom from the Pleistocene of the north Pacific, 209–214

CARLSON, BRUCE A.
A contribution to the biology of the spotted blenny, *Exallias brevis* (Pisces: Blenniidae) [abstr.], 96
see also Russell and Carlson

CHAVE, E. H.
General ecology of six species of Hawaiian cardinalfishes, 245–270

CRESSEY, ROGER, and HILLARY BOYLE
A new genus and species of parasitic copepod (Pandaridae) from a unique new shark, 25–30

DEVANEY, DENNIS M.
see Titcomb, Fellows, Pukui, and Devaney

DIZON, A.
see Ikehara, Atema, Brittain, Bardach, Dizon, and Holland

EBERT, THOMAS A.
Growth and size of the tropical sea cucumber *Holothuria* (*Halodeima*) *atra* Jäger at Enewetak Atoll, Marshall Islands, 183–191

EMIG, CHRISTIAN C.
A redescription of the inarticulate brachiopod *Lingula reevii* Davidson, 31–34

FAN, POW-FOONG
Mineralogy of sediments from Lake Waiau, Hawaii, 219–221

FELLOWS, DANIELLE B.
see Titcomb, Fellows, Pukui, and Devaney

FLOOD, NAPUALANI
The habituation of light-evoked responses in a marine gastropod, *Strombus luhuanus* [abstr.], 96

FUSARO, CRAIG
Food availability and egg production: a field experiment with *Hippa pacifica* Dana (Decapoda; Hippidae), 17–23

GOODING, R. U.
see Ponder and Gooding

HAMMOND, S. R.
see Burckle, Hammond, and Seyb

HAYASHI, J. H.
Continuous recording of erythrophore membrane potential during change of stage in *Ocypode laevis* (Crustacea) [abstr.], 97

HOLLAND, K.
see Ikehara, Atema, Brittain, Bardach, Dizon, and Holland

IKEHARA, WALTER, J. ATEMA, A. BRITTAIN, J. BARDACH, A. DIZON, and K. HOLLAND
Reactions of yellowfin tuna to prey scents [abstr.], 97

JAMES, MATTHEW J.
The comparative morphology of *Conus* radulae: observations with scanning electron microscopy [abstr.], 98

KOHN, ALAN J.
Gastropods as predators and prey at Easter Island, 35–37

KOSLOW, J. ANTHONY
see Ogg and Koslow

LITTLER, MARK M.
see Seapy and Littler

LOBEL, PHIL S.
Diel, lunar, and seasonal periodicity in the reproductive behavior of the pomacanthid fish, *Centropyge potteri*, and some other reef fishes in Hawaii, 193–207

MACDONALD, CRAIG G., and BRUCE E. THOMPSON
The biology and fishery of the Hawaiian endemic spiny lobster, *Panulirus marginatus*, at the northern and southern limits of its range [abstr.], 98

MASSEY, JANE E.
Morphological characteristics of the diatom flora of Lake Waiau: variation and speciation, 215–217

NEWBURY, T. K.
Consumption and growth rates of chaetognaths and

copepods in subtropical oceanic waters, 61–78
NYBAKKEN, JAMES
Population characteristics and food resource utilization of *Conus* in the Galapagos Islands, 271–280

OGG, JAMES G., and J. ANTHONY KOSLOW
The impact of typhoon Pamela (1976) on Guam's coral reefs and beaches, 105–118

PARKINSON, GEORGE T.
Aspects of feeding, burrowing, and distribution of *Haploscoloplos elongatus* (Polychaeta: Orbiniidae) at Bodega Harbor, California, 149–155
PEEBLES, BRAD
Molting and mortality in *Macrobrachium rosenbergii* [abstr.], 99
PERNETTA, JOHN C., and DICK WATLING
The introduced and native terrestrial vertebrates of Fiji, 223–244
PERRON, FRANK E.
The role of phytoplankton in the diet of the shipworm *Lyrodus pedicellatus* (Bivalvia: Teredinidae) [abstr.], 99
POLACHECK, TOM
Growth and survival of some Hawaiian corals [abstr.], 99–100
PONDER, W. F., and R. U. GOODING
Four new eulimid gastropods associated with shallow-water diadematid echinoids in the Western Pacific, 157–181
PUKUI, MARY KAWENA
see Titcomb, Fellows, Pukui, and Devaney

ROSS, ROBERT M.
Reproductive behavior of the anemonefish *Amphiprion melanopus* on Guam [abstr.], 100
RUSSELL, DENNIS J., and BRUCE A. CARLSON
Edible-oil pollution on Fanning Island, 1–15
The M.V. *Lindenbank* edible-oil spill on Fanning Island [abstr.], 100

ST. JOHN, HAROLD
The first collection of Hawaiian plants by David Nelson in 1779. Hawaiian Plant Studies 55, 315–324
SANTELICES, B.
Multiple interaction of factors in the distribution of some Hawaiian Gelidiales (Rhodophyta), 119–147
SARVER, DALE
Physiological races in *Stylocheilus longicauda* (Gastropod: Opisthobranch) [abstr.], 101
SEAPY, ROGER R., and MARK M. LITTLER
The distribution, abundance, community structure, and primary productivity of macroorganisms from two central California rocky intertidal habitats, 293–314
SEYB, STEFAN M.
see Burckle, Hammond, and Seyb
SOLEM, ALAN
Land snails from Mothe, Lakemba, and Karoni islands, Lau Archipelago, Fiji, 39–45

THOMPSON, BRUCE E.
see MacDonald and Thompson
TITCOMB, MARGARET, with DANIELLE B. FELLOWS, MARY KAWENA PUKUI, and DENNIS M. DEVANEY
Native use of marine invertebrates in old Hawaii, 325–386

VAN RIPER, CHARLES, III
The influence of food supplementation upon the reproductive strategy and movement patterns in the Hawaii amakihi (*Loxops virens*) [abstr.], 101
Reasons why the palila, a Hawaiian honeycreeper, is rare and endangered: analysis of a breeding biology [abstr.], 102

WATLING, DICK
see Pernetta and Watling
WHISTLER, W. ARTHUR
Vegetation of the montane region of Savai'i, Western Samoa, 79–94
WHITTOW, G. C.
Thermoregulatory behavior of the Hawaiian monk seal (*Monachus schauinslandi*), 47–60

Subject Index*

Amphibia
introduced and native terrestrial vertebrates of Fiji, 223–244
Amphineura
native use of marine invertebrates in old Hawaii, 325–386
Amphiprion melanopus, reproductive behavior of, on Guam [abstr.], 100
Angiospermae
distribution, abundance, community structure, and primary productivity of macroorganisms from two central California intertidal habitats, 293–314
first collection of Hawaiian plants by David Nelson in 1779, 315–324
vegetation of the montane region of Savai'i, Western Samoa, 79–94
Anthozoa
growth and survival of some Hawaiian corals [abstr.], 99
native use of marine invertebrates in old Hawaii, 325–386
Asteroidea
native use of marine invertebrates in old Hawaii,

*Biological organisms are indexed under their respective classes.

325–386
Aves
influence of food supplementation upon the reproductive strategy and movement patterns in the Hawaii amakihi (*Loxops virens*) [abstr.], 101–102
introduced and native terrestrial vertebrates of Fiji, 223–244
reasons why the palila, a Hawaiian honeycreeper, is rare and endangered: analysis of a breeding biology [abstr.], 102

Bacillariophyceae
morphological characteristics of the diatom flora of Lake Waiau: variation and speciation, 215–217
stratigraphically important new diatom from the Pleistocene of the north Pacific, 209–214
Bivalvia
native use of marine invertebrates in old Hawaii, 325–386
role of phytoplankton in the diet of the shipworm *Lyrodus pedicellatus* [abstr.], 99

California
aspects of feeding, burrowing, and distribution of *Haploscoloplos elongatus* (Polychaeta: Orbiniidae) at Bodega Harbor, 149–155
distribution, abundance, community structure, and primary productivity of macroorganisms from two central rocky intertidal habitats, 293–314
Centropyge potteri, diel, lunar, and seasonal periodicity in the reproductive behavior of, in Hawaii, 193–207
Cephalopoda
native use of marine invertebrates in old Hawaii, 325–386
Chaetognatha
consumption and growth rates of chaetognaths and copepods in subtropical oceanic waters, 61–78
Chlorophyceae
distribution, abundance, community structure, and primary productivity of macroorganisms from two central California intertidal habitats, 293–314
Conus
comparative morphology of radulae: observations with scanning electron microscopy [abstr.], 98
population characteristics and food resource utilization of, in the Galapagos Islands, 271–280
Crustacea
biology and fishery of the Hawaiian endemic spiny lobster, *Panulirus marginatus*, at the northern and southern limits of its range [abstr.], 98
consumption and growth rates of chaetognaths and copepods in subtropical oceanic waters, 61–78
continuous recording of erythrophore membrane potential during change of stage in *Ocypode laevis* [abstr.], 97
contributions to the knowledge of hyperiid amphipods of the family Scinidae from near Hawaii, with a description of a new species, *Scina hawaiensis*, 281–292
food availability and egg production: a field experiment with *Hippa pacifica* Dana (Decapoda; Hippidae), 17–23
molting and mortality in *Macrobrachium rosenbergii* [abstr.], 99
native use of marine invertebrates in old Hawaii, 325–386
new genus and species of parasitic copepod (Pandaridae) from a unique new shark, 25–30
redescription of the inarticulate brachiopod *Lingula reevii* Davidson, 31–34
Cyanophyceae
distribution, abundance, community structure, and primary productivity of macroorganisms from two California intertidal habitats, 293–314

Demospongiae
native use of marine invertebrates in old Hawaii, 325–386
Dinemoleus indeprensus gen. nov. et sp. nov., 25–30

Easter Island
gastropods as predators and prey at, 35–37
Echinoidea
four new eulimid gastropods associated with shallow-water diadematid echinoids in the Western Pacific, 157–181
native use of marine invertebrates in old Hawaii, 325–386
Enewetak Atoll
food availability and egg production: a field experiment with *Hippa pacifica* Dana (Decapoda; Hippidae), 17–23
growth and size of the tropical sea cucumber *Holothuria* (*Halodeima*) *atra* Jäger at, 183–191
physiological races in *Stylocheilus longicauda* (Gastropod: Opisthobranch) [abstr.], 101
Exallias brevis, a contribution to the biology of [abstr.], 96

Fanning Island
edible-oil pollution on, 1–15
M.V. *Lindenbank* edible-oil spill on [abstr.], 100
Fiji
introduced and native terrestrial vertebrates of, 223–244
land snails from Mothe, Lakemba, and Karoni islands, Lau Archipelago, 39–45

Galapagos Islands
population characteristics and food resource utilization of *Conus* in, 271–280
Gastropoda
as predators and prey at Easter Island, 35–37
comparative morphology of *Conus* radulae: observations with scanning electron microscopy [abstr.], 98
four new eulimid gastropods associated with shallow-water diadematid echinoids in the Western Pacific, 157–181
habituation of light-evoked responses in a marine gastropod, *Strombus luhuanus* [abstr.], 96
land snails from Mothe, Lakemba, and Karoni islands, Lau Archipelago, Fiji, 39–45
native use of marine invertebrates in old Hawaii,

325–386
physiological races in *Stylocheilus longicauda* (Opisthobranch) [abstr.], 101
population characteristics and food resource utilization of *Conus* in the Galapagos Islands, 271–280
Guam
impact of typhoon Pamela (1976) on coral reefs and beaches, 105–118
reproductive behavior of the anemonefish *Amphiprion melanopus* on [abstr.], 100
Guinea pig, relaxin levels during pregnancy and parturition in the [abstr.], 95–96
Haploscoloplos elongatus, aspects of feeding, burrowing, and distribution of, at Bodega Harbor, California, 149–155

Hawaiian Islands
biology and fishery of the Hawaiian endemic spiny lobster, *Panulirus marginatus*, at the northern and southern limits of its range [abstr.], 98
consumption and growth rates of chaetognaths and copepods in subtropical oceanic waters, 61–78
contributions to the knowledge of hyperiid amphipods of the family Scinidae from near Hawaii, with a description of a new species, *Scina hawaiensis*, 281–292
diel, lunar, and seasonal periodicity in the reproductive behavior of the pomacanthid fish, *Centropyge potteri*, and some other reef fishes in Hawaii, 193–207
first collection of Hawaiian plants by David Nelson in 1779, 315–324
general ecology of six species of cardinalfishes, 245–270
growth and survival of some Hawaiian corals [abstr.], 99–100
influence of food supplementation upon the reproductive strategy and movement patterns in the Hawaii amakihi (*Loxops virens*) [abstr.], 101–102
mineralogy of sediments from Lake Waiau, 219–221
morphological characteristics of the diatom flora of Lake Waiau: variation and speciation, 215–217
multiple interaction of factors in the distribution of some Gelidiales (Rhodophyta), 119–147
native use of marine invertebrates in old Hawaii, 325–386
physiological races in *Stylocheilus longicauda* (Gastropod: Opisthobranch) [abstr.], 101
reasons why the palila, a Hawaiian honeycreeper, is rare and endangered: analysis of a breeding biology [abstr.], 102
redescription of the inarticulate brachiopod *Lingula reevii* Davidson, 31–34
thermoregulatory behavior of the Hawaiian monk seal (*Monachus schauinslandi*), 47–60
Hawaiian monk seal, thermoregulatory behavior of the, 47–60
Hawaiian Plant Studies
55. first collection of Hawaiian plants by David Nelson in 1779, 315–324
Hippa pacifica Dana, effect on egg production of, by food availability, 17–23
Holothuria (*Halodeima*) *atra* Jäger, growth and size of, at Enewetak Atoll, Marshall Islands, 183–191
Holothurioidea
growth and size of the tropical sea cucumber *Holothuria* (*Halodeima*) *atra* Jäger at Enewetak Atoll, Marshall Islands, 183–191
native use of marine invertebrates in old Hawaii, 325–386
Hydrozoa
native use of marine invertebrates in old Hawaii, 325–386

Key
to the Hawaii species of *Scina*, 282
to the species of the genus *Pulicicochlea*, 164

Lingula reevii Davidson, a redescription of, 31–34
Loxops virens, influence of food supplementation upon the reproductive strategy and movement patterns in [abstr.], 101–102
Lyrodus pedicellatus, role of phytoplankton in the diet of [abstr.], 99

Macrobrachium rosenbergii, molting and mortality in [abstr.], 99
Mammalia
introduced and native terrestrial vertebrates of Fiji, 223–244
relaxin levels during pregnancy and parturition in the guinea pig [abstr.], 95–96
thermoregulatory behavior of the Hawaiian monk seal (*Monachus schauinslandi*), 47–60
Monachus schauinslandi, thermoregulatory behavior of, 47–60

New genera
Dinemoleus (Pandaridae), 25–30
Pulicicochlea (Gastropoda), 157–181
New species
Dinemoleus indeprensus (Pandaridae), 25–30
Pulicicochlea (*Pseudoretusa*) *faba* (Gastropoda), 157–181
Pulicicochlea (*Pulicicochlea*) *astropyga* (Gastropoda), 157–181
Pulicicochlea (*Pulicicochlea*) *calamaris* (Gastropoda), 157–181
Pulicicochlea (*Pulicicochlea*) *fusca* (Gastropoda), 157–181
Rhizosolenia matuyamai (Bacillariophyceae), 209–214
Scina hawaiensis (Crustacea), 281–292
Stauroneis maunakeäensis (Bacillariophyceae), 215–217

Ocypode laevis, continuous recording of erythrophore membrane potential during change of stage in [abstr.], 97

Panulirus marginatus, biology and fishery of, at the northern and southern limits of its range [abstr.], 98
Phaeophyceae
distribution, abundance, community structure, and primary productivity of macroorganisms from two

California intertidal habitats, 293–314
Pisces
contribution to the biology of the spotted blenny, *Exallias brevis* (Blenniidae) [abstr.], 96
diel, lunar, and seasonal periodicity in the reproductive behavior of the pomacanthid fish, *Centropyge potteri*, and some other reef fishes in Hawaii, 193–207
general ecology of six species of Hawaiian cardinalfishes, 245–270
new genus and species of parasitic copepod (Pandaridae) from a unique new shark, 25–30
reactions of yellowfin tuna to prey scents [abstr.], 97
reproductive behavior of the anemonefish *Amphiprion melanopus* on Guam [abstr.], 100
Polychaeta
aspects of feeding, burrowing, and distribution of *Haploscoloplos elongatus* (Orbiniidae) at Bodega Harbor, California, 149–155
native use of marine invertebrates in old Hawaii, 325–386
Psittirostra bailleui, reasons why rare and endangered [abstr.], 102
Pulicicochlea gen. nov., 157–181
Pulicicochlea (*Pseudoretusa*) *faba* sp. nov., 157–181
Pulicicochlea (*Pulicicochlea*) *astropyga* sp. nov., 157–181
Pulicicochlea (*Pulicicochlea*) *calamaris* sp. nov., 157–181
Pulicicochlea (*Pulicicochlea*) *fusca* sp. nov., 157–181
Reptilia
introduced and native terrestrial vertebrates of Fiji, 223–244
Rhizosolenia matuyamai sp. nov., 209–214
Rhodophyceae
distribution, abundance, community structure, and primary productivity of macroorganisms from two California intertidal habitats, 293–314
multiple interaction of factors in the distribution of some Hawaiian Gelidiales, 119–147

Scina hawaiensis sp. nov., 281–292
Spotted blenny, a contribution to the biology of the [abstr.], 96
Stauroneis maunakeäensis sp. nov., 215–217
Strombus luhuanus, habituation of light-evoked responses in [abstr.], 96
Stylocheilus longicauda, physiological races in [abstr.], 101

Typhoon Pamela, impact of, on Guam's coral reefs and beaches, 105–118

Western Samoa
vegetation of the montane region of Savai'i, 79–94

Yellowfin tuna, reactions of, to prey scents [abstr.], 98